

পরিসংখ্যান বিভাগ
বাংলাদেশ ব্যাংক
প্রধান কার্যালয়
ঢাকা।
www.bb.org.bd

এসটিডি সার্কুলার নং-০৩

৯ নভেম্বর, ২০১৫
তারিখ:-----
কার্তিক ২৫, ১৪২২

বৈদেশিক মুদ্রা লেনদেনে নিয়োজিত
সকল অনুমোদিত ডিলার।

প্রিয় মহোদয়গণ,

বৈদেশিক মুদ্রা লেনদেনের রিপোর্টিং নির্দেশিকায় (Code lists for Reporting of External Sector Transactions by Authorised Dealers 2012-Edition) অদৃশ্য আয় (কোড-৫) এবং অদৃশ্য ব্যয় (কোড-৭) সংক্রান্ত নতুন কোড বরাদ্দ প্রসঙ্গে।

সকল অনুমোদিত ডিলারগণকে International Gateway (IGW) এবং Bandwidth রপ্তানি/আমদানি এর লেনদেনের রিপোর্টিং সম্পর্কে দৃষ্টি আকর্ষণ করা যাচ্ছে।

International Gateway (IGW) এবং Bandwidth সেবা সমূহের আমদানি/রপ্তানির রিপোর্টিং এর জন্য বৈদেশিক মুদ্রা লেনদেন নির্দেশিকা "Code lists for reporting of external sector transactions by authorised dealers" 2012-Edition-এ অদৃশ্য আয় (কোড-৫) এবং অদৃশ্য ব্যয় (কোড-৭) সংক্রান্ত নতুন কোড বরাদ্দ করা হয়েছে।

সকল অনুমোদিত ডিলারগণকে নতুন বরাদ্দকৃত কোড (সংযোজনী -A, সংযোজনী -B) অনুযায়ী সংশ্লিষ্ট রিটার্ন ও সিডিউলে বাংলাদেশ ব্যাংকে রিপোর্ট করার জন্য অনুরোধ করা হলো।

অনুগ্রহপূর্বক সংশ্লিষ্ট সকলকে বিষয়টি অবহিত করবেন যা জুলাই'২০১৫ হতে কার্যকর বলে গণ্য হবে।

আপনার বিশ্বস্ত

সংযুক্তি:বর্ণনামতে।

(মো: মহিব উল্লাহ মিয়া)
উপ-মহাব্যবস্থাপক
ফোন: ৯৫৩০০৮৭

Annexure-A

INVISIBLE RECEIPTS			Code-5
Code No.	Purpose	Explanatory Notes	Comment
20	Telecommunications		
201	Telecommunication Services		
2010	Telecommunication services		Existing code
2011	Maintenance services of telecommunication	Receipts from abroad against maintenance services of telecommunication network /machineries equipments etc (<i>Excluded are installation services for telephone network equipment which are included in construction services and transportation , computer maintenance and machineries equipments of mills, plants, factories, etc.)</i>	New code
2012	Export of International Gateway (IGW) service	Receipts from abroad on account of international Gateway (IGW) for transmitting calls between countries. (A gateway is a network point that acts as an entrance to another network. On the Internet, a node or stopping point can be either a gateway node or a host (end-point) node. Both the computers of Internet users and the computers that serve pages to users are host nodes. The computers that control traffic within your company's network or at your local Internet service provider (ISP) are gateway nodes. An International Gateway is a telephone number through which calls are routed to get cheaper rates on international long distance charges, or to make calls through voice over IP (VOIP) networks internationally. They also are effective in making an international call into the customer appear as if it is originating from a local number rather than the real location.)	New code
2013	Export of Bandwidth service	Receipts from abroad on account export of Bandwidth service. (Bandwidth describes the maximum data transfer rate of a network or Internet connection. It measures how much data can be sent over a specific connection in a given amount of time. For example, a gigabit Ethernet connection has a bandwidth of 1,000 Mbps, (125 megabytes per second). An Internet connection via cable modem may provide 25 Mbps of bandwidth.)	New code

Annexure-B

INVISIBLE PAYMENTS			Code-7
Code No.	Purpose	Explanatory Notes	Comment
20	Telecommunications		
201	Telecommunication Services		
2010	Telecommunication services		Existing code
2011	Maintenance services of telecommunication	Payments to abroad against maintenance services of telecommunication network /machineries equipments etc (<i>Excluded are installation services for telephone network equipment which are included in construction services and transportation , computer maintenance and machineries equipments of mills, plants, factories, etc.)</i>	Existing code
2012	Import of International Gateway(IGW) service	Payments to abroad on account of International Gateway (IGW) for transmitting calls between countries. (A Gateway is a network point that acts as an entrance to another network. On the Internet, a node or stopping point can be either a gateway node or a host (end-point) node. Both the computers of Internet users and the computers that serve pages to users are host nodes. The computers that control traffic within your company's network or at your local Internet service provider (ISP) are gateway nodes. An International Gateway is a telephone number through which calls are routed to get cheaper rates on international long distance charges, or to make calls through voice over IP (VOIP) networks internationally. They also are effective in making an international call into the customer appear as if it is originating from a local number rather than the real location.)	New code
2013	Import of Bandwidth service	Payments to abroad on account import of Bandwidth service. (Bandwidth describes the maximum data transfer rate of a network or Internet connection. It measures how much data can be sent over a specific connection in a given amount of time. For example, a gigabit Ethernet connection has a bandwidth of 1,000 Mbps, (125 megabytes per second). An Internet connection via cable modem may provide 25 Mbps of bandwidth.)	New code